

Superklene 500

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)
Issue date: 10/20/2024 Revision date: 10/19/2027 Version: 1.0

SECTION 1: Identification

1.1. GHS Product identifier

Product form : Substance
Substance name : Superklene 500

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Laundry sour & Chlorine neutralizer

1.4. Supplier's details

Supplier
Chemical Marketing and Distribution Co. Ltd.
Dammam 31431,
P.O. Box 1053
Saudi Arabia
T +966138217777 - F +966138472648
sales@bci.com.sa

1.5. Emergency phone number

Emergency number : +966138217777

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Acute toxicity (oral), Category 4 H302
Serious eye damage/eye irritation, Category 1 H318
Full text of H-statements: see section 16
Adverse physicochemical, human health and environmental effects : Harmful if swallowed, Causes serious eye damage.

2.2. GHS Label elements, including precautionary statements

Labelling according to the United Nations GHS

Hazard pictograms (GHS UN) :



Signal word (GHS UN) : Danger
Hazard statements (GHS UN) : H302 - Harmful if swallowed
H318 - Causes serious eye damage
Precautionary statements (GHS UN) : P264 - Wash hands face thoroughly after handling.
P264+P265 - Wash hands face thoroughly after handling. Do not touch eyes.
P270 - Do not eat, drink or smoke when using this product.
P280 - Wear protective clothing, eye protection, face protection, protective gloves.
P301+P317 - IF SWALLOWED: Get medical help.
P305+P354+P338 - IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P317 - Get medical help.
P330 - Rinse mouth.
P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

Superklene 500

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : Superklene 500
CAS-No. : 7681-57-4
Product identifiers: See section 1.1

Name	Product identifier	%	Classification according to the United Nations GHS
Sodium metabisulfite	CAS-No.: 7681-57-4	100	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Obtain medical attention if breathing difficulty persists.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. Seek medical attention if ill effect or irritation develops.

First-aid measures after eye contact : Rinse immediately with plenty of water. Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. Seek medical attention if ill effect or irritation develops.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after eye contact : Serious damage to eyes.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released. Thermal decomposition can lead to the release of irritating gases and vapours.

Superklene 500

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

5.3. Special protective actions for fire-fighters

- | | |
|---------------------------------------|--|
| Firefighting instructions | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. |
| Protective equipment for firefighters | : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- | | |
|---|--|
| General measures | : Evacuate unnecessary personnel. |
| Personal Precautions, Protective Equipment and Emergency Procedures | : Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Prevention Measures for Secondary Accidents | : Avoid release to the environment. |

6.1.1. For non-emergency personnel

- | | |
|----------------------|---|
| Protective equipment | : Wear personal protective equipment. Wear suitable protective clothing. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Ventilate spillage area. Avoid contact with skin and eyes. |

6.1.2. For emergency responders

- | | |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|---|

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and materials for containment and cleaning up

- | | |
|-------------------------|--|
| For containment | : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Collect spillage. |
| Methods for cleaning up | : Mechanically recover the product. On land, sweep or shovel into suitable containers. Minimise generation of dust. Store away from other materials. |
| Other information | : Dispose of materials or solid residues at an authorized site. |

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-------------------------------|--|
| Precautions for safe handling | : Ensure good ventilation of the work station. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment. |
| Hygiene measures | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Handle in accordance with good industrial hygiene and safety procedures. |

7.2. Conditions for safe storage, including any incompatibilities

- | | |
|--------------------|--|
| Storage conditions | : Keep only in the original container in a cool well ventilated place. Keep container closed when not in use. Store in a well-ventilated place. Keep cool. |
|--------------------|--|

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Superklene 500

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

Sodium metabisulfite (7681-57-4)

USA - ACGIH - Occupational Exposure Limits

Local name	Sodium metabisulfite
ACGIH OEL TWA	5 mg/m ³
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
ACGIH chemical category	Not Classifiable as a Human Carcinogen
Regulatory reference	ACGIH 2024

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.
Other information	: Do not eat, drink or smoke during use.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection	: Impermeable protective gloves. protective gloves
Eye protection	: Chemical goggles or safety glasses. Safety glasses
Skin and body protection	: Wear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Wear suitable respiratory equipment in case of insufficient ventilation

Personal protective equipment symbol(s)



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Solid
Colour	: White to yellowish.
Odour	: Pungent, similar to sulfur dioxide.
Odour threshold	: Not available
Melting point	: Decomposes before melting
Freezing point	: Not applicable
Boiling point	: Not available
Flammability	: Not flammable
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: ≈ 150 °C
pH	: 4 – 5
pH solution	: Not available
Viscosity, kinematic (calculated value) (40 °C)	: Not applicable
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: ≈ 1.48 g/cm ³
Relative density	: Not available
Relative vapour density at 20°C	: Not applicable
Solubility	: Soluble in Water.

Superklene 500

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

Particle size : Not available

9.2. Data relevant with regard to physical hazard classes (supplemental)

Explosive limits : Not applicable
Explosive properties : Not explosive
Oxidising properties : Not an oxidizer

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions; decomposes when heated, releasing toxic gases.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Exposure to moisture, heat, and acids can cause it to decompose, releasing sulfur dioxide.

10.5. Incompatible materials

Incompatible with acids, oxidizing agents, and moisture. Contact with acids releases sulfur dioxide.

10.6. Hazardous decomposition products

Sulfur dioxide, sodium oxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Superklene 500 (7681-57-4)	
Unknown acute toxicity (GHS UN)Unknown acute toxicity (GHS UN)	100% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 100% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))
Sodium metabisulfite (7681-57-4)	
LD50 oral rat	1310 mg/kg (Source: JAPAN_GHS)
LD50 dermal rat	> 2000 mg/kg (Source: NLM_HSDB)
LC50 Inhalation - Rat (Dust/Mist)	> 5.5 mg/l Source: ECHA

Skin corrosion/irritation : Not classified
pH: 4 – 5
Serious eye damage/irritation : Causes serious eye damage.
pH: 4 – 5
Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

Superklene 500

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

Superklene 500 (7681-57-4)

Viscosity, kinematic

Not applicable

Other information

: Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Sodium metabisulfite (7681-57-4)

LC50 - Fish [1]

32 mg/l (Exposure time: 96 h - Species: *Lepomis macrochirus* [static] Source: IUCLID)

EC50 - Crustacea [1]

89 mg/l Source: ECHA

EC50 72h - Algae [1]

48 mg/l (Species: *Desmodesmus subspicatus*)

EC50 96h - Algae [1]

40 mg/l (Species: *Desmodesmus subspicatus*)

ErC50 algae

43.8 mg/l Source: EHCA

12.2. Persistence and degradability

Superklene 500 (7681-57-4)

Persistence and degradability

Rapidly degradable

Sodium metabisulfite (7681-57-4)

Persistence and degradability

Rapidly degradable

12.3. Bioaccumulative potential

Superklene 500 (7681-57-4)

Bioaccumulative potential

No additional information available

Sodium metabisulfite (7681-57-4)

Partition coefficient n-octanol/water (Log Pow)

-3.7 (at 25 °C)

12.4. Mobility in soil

Superklene 500 (7681-57-4)

Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified

Other adverse effects : No additional information available

Effect on the ozone layer : No additional information available.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose of in a safe manner in accordance with local/national regulations.

Ecological waste information : Avoid release to the environment.

Superklene 500

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

SECTION 14: Transport information

In accordance with UN RTDG / IMDG / IATA /

UN RTDG	IMDG	IATA
14.1. UN number		
Not regulated for transport		
14.2. UN Proper Shipping Name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Not regulated	Not regulated	Not regulated
No supplementary information available		

14.6. Special precautions for user

UN RTDG

Not regulated

IMDG

Not regulated

IATA

Not regulated

14.7. Transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other information

NFPA health hazard

: 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard

: 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity

: 1 - Materials that in themselves are normally stable but can become unstable at elevated temperatures and pressures.

NFPA specific hazard

: None

Hazard Rating

Health


: 2 Moderate Hazard - Temporary or minor injury may occur

Flammability

: 0 Minimal Hazard - Materials that will not burn

Physical

: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.



Superklene 500

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

Issue date : 10/20/2024
Revision date : 10/19/2027

Other information : None.

Full text of H-statements:	
H302	Harmful if swallowed
H318	Causes serious eye damage

Safety Data Sheet (SDS), UN

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.