


# COOLTREAT 350



## PRODUCT DESCRIPTION

COOLTREAT 350 is a molybdate-based product enhanced with DIOLTECH™ technology, delivering superior corrosion protection for closed and open cooling systems. Formulated with specific organic inhibitors, it offers effective corrosion control for ferrous and non ferrous metals, including carbon steels, copper, and copper alloys. Suitable for use in highly corrosive water, it features simple and accurate control tests, requires minimal handling, and can be dosed directly from the drum for convenience.

## TREATMENT AND DOSAGE REQUIREMENTS

The correct dosage for COOLTREAT 350 will depend upon operating conditions and plant type. Optimum dosage rates will be specified by BCI sales Engineer. COOLTREAT 350 may be dosed directly from the drum in plastic or stainless steel.

	Units	BCI Specifications	Test Methods
Appearance	-	Colorless liquid	ASTM-E2680
Density	g/ml	1.000 - 1.190	ASTM-D891
PH as supplied	-	11.0 - 13.5	ASTM-D1293

All technical data stated in this TDS are based on our actual laboratory analysis.

## ECOLOGY, HEALTH & SAFETY

For more information on the safe handling, storage, and disposal of chemical products, please refer to the most recent Safety Data Sheet (SDS).

## APPLICATIONS

COOLTREAT 350 is used as corrosion and scale inhibitor for chilled and cooling water systems. Consult your BCI sales Engineer for specific recommendations.

## AVAILABLE PACKAGING

- 25 L Jerrycan

## STORAGE CONDITIONS

COOLTREAT 350 could be stored for 12 months from the date of production if stored properly in undamaged, unopened and original sealed packaging.

## DISCLAIMER

All sales by BCI, its subsidiaries, or affiliates "seller", are governed by the seller's standard terms and conditions of sale, available upon request unless otherwise agreed in writing. While information and recommendations regarding product application and end use are provided in good faith based on current knowledge and experience, the seller makes no warranty, express or implied, regarding merchantability, fitness for a particular purpose, or liability arising from use. Customers must evaluate the suitability of the product for their intended application, ensure compliance with third-party proprietary rights, and refer to the most recent product Datasheet, available on our site or upon request, for accurate guidance.

Version03: 01-01-2025

الصناعات الكيميائية الأساسية  
BASIC CHEMICAL INDUSTRIES

### HEAD OFFICE

P.O Box 1053, Dammam 31431, Saudi Arabia  
T: +966 13 821 7777 F: +966 13 847 26 48  
Email: Sales@bci.sa



### الفرع الرئيسي

ص ب ١٠٥٣، الدمام ٣١٤٣١، المملكة العربية السعودية  
ت: +٩٦٦ ١٣ ٨٢١ ٧٧٧٧ ف: +٩٦٦ ١٣ ٨٤٧ ٢٦٤٨  
البريد الإلكتروني: Sales@bci.sa