

Sodium Chlorite 7.5%

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)
Issue date: 10/20/2024 Revision date: 10/19/2027 Version: 1.0

**BCI**

الصناعات الكيماوية الأساسية
BASIC CHEMICAL INDUSTRIES

SECTION 1: Identification

1.1. GHS Product identifier

Product form : Mixture
Product name : Sodium Chlorite 7.5%

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : water treatment
Bleaching agents
Disinfectant

1.4. Supplier's details

Supplier

Chemical Marketing and Distribution Co. Ltd.
Dammam 31431,
P.O. Box 1053
Saudi Arabia
T +966138217777 - F +966138472648
sales@bci.com.sa

1.5. Emergency phone number

Emergency number : +966138217777

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

| | |
|---|------|
| Acute toxicity (oral), Category 3 | H301 |
| Acute toxicity (dermal), Category 2 | H310 |
| Acute toxicity (inhalation:dust,mist) Category 2 | H330 |
| Skin corrosion/irritation, Category 1B | H314 |
| Specific target organ toxicity – Repeated exposure, Category 2 | H373 |
| Hazardous to the aquatic environment – Chronic Hazard, Category 1 | H410 |

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects : May cause damage to organs through prolonged or repeated exposure,Fatal in contact with skin,Fatal if inhaled,Toxic if swallowed,Causes severe skin burns and eye damage,Very toxic to aquatic life with long lasting effects.

2.2. GHS Label elements, including precautionary statements

Labelling according to the United Nations GHS

Hazard pictograms (GHS UN) :



Signal word (GHS UN) :

Danger

Hazardous ingredients :

Sodium chlorite

Hazard statements (GHS UN) :

H301 - Toxic if swallowed
H310+H330 - Fatal in contact with skin or if inhaled
H314 - Causes severe skin burns and eye damage
H373 - May cause damage to organs through prolonged or repeated exposure
H410 - Very toxic to aquatic life with long lasting effects

Sodium Chlorite

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

Precautionary statements (GHS UN)

: P260 - Do not breathe dust, fume, gas, mist, spray, vapours.
P262 - Do not get in eyes, on skin, or on clothing.
P264 - Wash hands, face, forearms and face thoroughly after handling.
P270 - Do not eat, drink or smoke when using this product.
P271 - Use only outdoors or with adequate ventilation.
P273 - Avoid release to the environment.
P280 - Wear protective clothing, eye protection, face protection, protective gloves.
P284 - In case of inadequate ventilation wear respiratory protection.
P301+P316 - IF SWALLOWED: Get emergency medical help immediately.
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P302+P361+P354 - IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P354+P338 - IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P316 - Get emergency medical help immediately.
P319 - Get medical help if you feel unwell.
P321 - Specific treatment (see supplemental first aid instruction, specific cleansing agent(s) on this label).
P330 - Rinse mouth.
P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.
P363 - Wash contaminated clothing before reuse.
P391 - Collect spillage.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.
P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to the United Nations GHS |
|-----------------|--------------------|-----|---|
| Sodium chlorite | CAS-No.: 7758-19-2 | 7.5 | Ox. Sol. 1, H271 Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Skin Corr. 1B, H314 STOT RE 2, H373 Aquatic Chronic 1, H410 |

Full text of H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : Call a physician immediately. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a physician immediately. Call a doctor. Obtain medical attention if breathing difficulty persists.

Sodium Chlorite

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

| | |
|---------------------------------------|--|
| First-aid measures after skin contact | : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Take off immediately all contaminated clothing. Call a physician immediately. Rinse skin with water/shower. Seek medical attention if ill effect or irritation develops. |
| First-aid measures after eye contact | : Rinse immediately with plenty of water. Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately. Seek medical attention if ill effect or irritation develops. |
| First-aid measures after ingestion | : Rinse mouth. Do NOT induce vomiting. Rinse mouth. Call a physician immediately. Do not induce vomiting. |

4.2. Most important symptoms/effects, acute and delayed

| | |
|-------------------------------------|---------------------------|
| Symptoms/effects after skin contact | : Burns. |
| Symptoms/effects after eye contact | : Serious damage to eyes. |
| Symptoms/effects after ingestion | : Burns. |

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing media | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Specific hazards arising from the chemical

| | |
|--|---|
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. Thermal decomposition can lead to the release of irritating gases and vapours. |
|--|---|

5.3. Special protective actions for fire-fighters

| | |
|---------------------------------------|--|
| Firefighting instructions | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. |
| Protective equipment for firefighters | : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|---|--|
| General measures | : Evacuate unnecessary personnel. |
| Personal Precautions, Protective Equipment and Emergency Procedures | : Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
| Prevention Measures for Secondary Accidents | : Avoid release to the environment. |

6.1.1. For non-emergency personnel

| | |
|----------------------|---|
| Protective equipment | : Wear personal protective equipment. Wear suitable protective clothing. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Do not breathe dust/fume/gas/mist/vapours/spray. Only qualified personnel equipped with suitable protective equipment may intervene. |

6.1.2. For emergency responders

| | |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|---|

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

Sodium Chlorite

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

6.3. Methods and materials for containment and cleaning up

| | |
|-------------------------|--|
| For containment | : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Collect spillage. |
| Methods for cleaning up | : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. |
| Other information | : Dispose of materials or solid residues at an authorized site. |

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-------------------------------|---|
| Precautions for safe handling | : Provide good ventilation in process area to prevent formation of vapour. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. |
| Hygiene measures | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Handle in accordance with good industrial hygiene and safety procedures. |

7.2. Conditions for safe storage, including any incompatibilities

| | |
|---------------------|--|
| Storage conditions | : Keep only in the original container in a cool well ventilated place. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool. |
| Packaging materials | : Polyethylene. Steel containers. |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

| | |
|----------------------------------|--|
| Appropriate engineering controls | : Ensure good ventilation of the work station. |
| Environmental exposure controls | : Avoid release to the environment. |
| Other information | : Do not eat, drink or smoke during use. |

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Wear protective gloves. Wear protective clothing. Wear foot protection. Wear a mask.

| | |
|--------------------------|--|
| Hand protection | : Impermeable protective gloves. protective gloves |
| Eye protection | : Chemical goggles or safety glasses. Safety glasses |
| Skin and body protection | : Wear suitable protective clothing |
| Respiratory protection | : In case of insufficient ventilation, wear suitable respiratory equipment. [In case of inadequate ventilation] wear respiratory protection. Wear suitable respiratory equipment in case of insufficient ventilation |

Personal protective equipment symbol(s)



8.4. Exposure limit values for the other components

No additional information available

Sodium Chlorite

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

| | |
|---|------------------------------|
| Physical state | : Liquid |
| Colour | : colorless to light yellow. |
| Odour | : chlorine-like. |
| Odour threshold | : Not available |
| Melting point | : Not available |
| Freezing point | : Not available |
| Boiling point | : Not available |
| Flammability | : Non flammable |
| Lower explosion limit | : Not available |
| Upper explosion limit | : Not available |
| Flash point | : Not available |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : 12.5 (1% solution) |
| pH solution | : Not available |
| Viscosity, kinematic (calculated value) (40 °C) | : Not available |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50°C | : Not available |
| Density | : 1.21 g/cm ³ |
| Relative density | : Not available |
| Relative vapour density at 20°C | : Not available |
| Solubility | : Miscible in water. |
| Particle size | : Not applicable |

9.2. Data relevant with regard to physical hazard classes (supplemental)

| | |
|----------------------|------------|
| Oxidising properties | : Oxidizer |
|----------------------|------------|

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat, light, contamination

10.5. Incompatible materials

Acids. Reducing agents. Combustible materials.

10.6. Hazardous decomposition products

Chlorine dioxide. Sodium oxides (NaOx).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-------------------------|-------------------------------|
| Acute toxicity (oral) | : Toxic if swallowed. |
| Acute toxicity (dermal) | : Fatal in contact with skin. |

Sodium Chlorite

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

Acute toxicity (inhalation) : Inhalation:dust,mist: Fatal if inhaled.

| Sodium Chlorite | |
|--|---|
| ATE UN (oral) | 165 mg/kg bodyweight |
| ATE UN (dermal) | 107.2 mg/kg bodyweight |
| ATE UN (dust,mist) | 0.23 mg/l/4h |
| Unknown acute toxicity (GHS UN)Unknown acute toxicity (GHS UN) | 75% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 75% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 75% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist)) |

| Sodium chlorite (7758-19-2) | |
|-----------------------------------|--|
| LD50 oral rat | 165 mg/kg (Source: NLM_CIP) |
| LD50 dermal rabbit | 107.2 mg/kg (Source: JAPAN_GHS) |
| LC50 Inhalation - Rat | 230 mg/m ³ (Exposure time: 4 h Source: NLM_CIP) |
| LC50 Inhalation - Rat (Dust/Mist) | 0.23 mg/l Source: ChemIDplus |

Skin corrosion/irritation : Causes severe skin burns.
pH: 12.5 (1% solution)

Serious eye damage/irritation : Assumed to cause serious eye damage
pH: 12.5 (1% solution)

Respiratory or skin sensitization : Not classified (Based on available data, the classification criteria are not met)

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

| Sodium chlorite (7758-19-2) | |
|-----------------------------|--|
| STOT-repeated exposure | May cause damage to organs through prolonged or repeated exposure. |

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Very toxic to aquatic life with long lasting effects.

Classification procedure (Hazardous to the aquatic environment, long-term (chronic)) : Calculation method

| Sodium chlorite (7758-19-2) | |
|-----------------------------|---|
| LC50 - Fish [1] | 100 – 500 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static] Source: IUCLID) |
| LC50 - Fish [2] | > 100 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA) |
| EC50 - Crustacea [1] | 0.026 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| EC50 - Crustacea [2] | 0.25 – 0.33 mg/l (Exposure time: 48 h - Species: Daphnia magna [Flow through]) |

12.2. Persistence and degradability

| Sodium Chlorite | |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |

Sodium Chlorite

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

Sodium chlorite (7758-19-2)

| | |
|-------------------------------|--------------------|
| Persistence and degradability | Rapidly degradable |
|-------------------------------|--------------------|

12.3. Bioaccumulative potential

Sodium Chlorite

| | |
|---------------------------|-------------------------------------|
| Bioaccumulative potential | No additional information available |
|---------------------------|-------------------------------------|

Sodium chlorite (7758-19-2)

| | |
|---|--------|
| Partition coefficient n-octanol/water (Log Pow) | < -2.7 |
|---|--------|

12.4. Mobility in soil

Sodium Chlorite

| | |
|------------------|-------------------------------------|
| Mobility in soil | No additional information available |
|------------------|-------------------------------------|

12.5. Other adverse effects

| | |
|---------------------------|---|
| Ozone | : Not classified (Based on available data, the classification criteria are not met) |
| Other adverse effects | : No additional information available |
| Effect on the ozone layer | : No additional information available. |
| Other information | : Avoid release to the environment. |




SECTION 13: Disposal considerations

13.1. Disposal methods

| | |
|--|---|
| Waste treatment methods | : Dispose of contents/container in accordance with licensed collector's sorting instructions. |
| Product/Packaging disposal recommendations | : Dispose of in a safe manner in accordance with local/national regulations. |
| Ecological waste information | : Avoid release to the environment. |

SECTION 14: Transport information

In accordance with UN RTDG / IMDG / IATA /

| UN RTDG | IMDG | IATA |
|---|---|---|
| 14.1. UN number | | |
| 1496 | 1496 | 1496 |
| 14.2. UN Proper Shipping Name | | |
| SODIUM CHLORITE | SODIUM CHLORITE | Sodium chlorite |
| 14.3. Transport hazard class(es) | | |
| 5.1 | 5.1 | 5.1 |
|  |  |  |
| 14.4. Packing group | | |
| II | II | II |
| 14.5. Environmental hazards | | |
| Dangerous for the environment: Yes | Dangerous for the environment: Yes Marine pollutant: Yes | Dangerous for the environment: Yes |
| No supplementary information available | | |

Sodium Chlorite

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

14.6. Special precautions for user

UN RTDG

| | |
|---|---------------|
| Limited quantities (UN RTDG) | : 1 kg |
| Excepted quantities (UN RTDG) | : E2 |
| Packing instruction (UN RTDG) | : P002, IBC08 |
| Special packing provisions (UN RTDG) | : B2, B4 |
| Portable tank and bulk container special instructions (UN RTDG) | : T3 |
| Portable tank and bulk container special provisions (UN RTDG) | : TP33 |

IMDG

| | |
|------------------------------------|---|
| Limited quantities (IMDG) | : 1 kg |
| Excepted quantities (IMDG) | : E2 |
| Packing instructions (IMDG) | : P002 |
| IBC packing instructions (IMDG) | : IBC08 |
| IBC special provisions (IMDG) | : B21, B4 |
| Tank instructions (IMDG) | : T3 |
| Tank special provisions (IMDG) | : TP33 |
| EmS-No. (Fire) | : F-H - FIRE SCHEDULE Hotel - OXIDIZING SUBSTANCES WITH EXPLOSIVE POTENTIAL |
| EmS-No. (Spillage) | : S-Q - SPILLAGE SCHEDULE Quebec - OXIDIZING SUBSTANCES |
| Stowage category (IMDG) | : A |
| Segregation (IMDG) | : SGG5, SG38, SG49 |
| Properties and observations (IMDG) | : Colourless deliquescent solid. Soluble in water. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion. |

IATA

| | |
|--|---------|
| PCA Excepted quantities (IATA) | : E2 |
| PCA Limited quantities (IATA) | : Y544 |
| PCA limited quantity max net quantity (IATA) | : 2.5kg |
| PCA packing instructions (IATA) | : 558 |
| PCA max net quantity (IATA) | : 5kg |
| CAO packing instructions (IATA) | : 562 |
| CAO max net quantity (IATA) | : 25kg |
| ERG code (IATA) | : 5L |

14.7. Transport in bulk according to IMO instruments

Not applicable


SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other information

| | |
|----------------------|---|
| NFPA health hazard | : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury. |
| NFPA fire hazard | : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand. |
| NFPA reactivity | : 1 - Materials that in themselves are normally stable but can become unstable at elevated temperatures and pressures. |
| NFPA specific hazard | : OX - Materials that possess oxidizing properties. |



Sodium Chlorite

Safety Data Sheet

according to the United Nations GHS (Rev. 10, 2023)

| | |
|---------------|--|
| Hazard Rating | |
| Health | : 2 Moderate Hazard - Temporary or minor injury may occur |
| Flammability | : 0 Minimal Hazard - Materials that will not burn |
| Physical | : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors. |

| | |
|---------------|--------------|
| Issue date | : 10/20/2024 |
| Revision date | : 10/19/2027 |

Other information : None.

| Full text of H-statements: | |
|----------------------------|---|
| Ox. Sol. 1 | Oxidising Solids, Category 1 |
| H271 | May cause fire or explosion; strong oxidiser |
| H301 | Toxic if swallowed |
| H310 | Fatal in contact with skin |
| H314 | Causes severe skin burns and eye damage |
| H330 | Fatal if inhaled |
| H373 | May cause damage to organs through prolonged or repeated exposure |
| H410 | Very toxic to aquatic life with long lasting effects |

Safety Data Sheet (SDS), UN

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.